



**Send to:**  
[Postmottak@caa.no](mailto:Postmottak@caa.no)  
**or**  
Luftfartstilsynet  
Postboks 243  
8001 BODØ

*This information sheet is issued to present information  
information regarding the helideck and heliport  
System, which is relevant for helicopter operations.*

*This form is optional.*

### Heliport Information Sheet

ICAO code
-----------

Document information			
Title		Name	
Document number	Rev. index	Date issued	
Document made by		Document approved by	

General information about helideck	
Name	
Constructed	
Design regulations/rules	
Center of deck position	
Helideck elevation (MSL)	

Exception	Reference

Helideck	Description
Type	
Elevation above baseline (keel)	
Elevation above sea level, jacked up air gap	
Deck surface friction maintenance procedure	
Helicopter type, max.size	
Max. take-off mass	
Helideck size (D)	
Helideck diameter overall (DH) (1,0xD/1,25xD/1,5xD)	
Access points	
Drainage	
Helideck net, type	
Tie-down points	
Traffic Control Centre (Helideck control)	
Dangerous goods	

<b>Obstacles</b>	<b>Description</b>
Obstacle free 210° departure and approach sector (describe)	
Obstacles in 150° limited object sector (description)	
Obstacles close to 150° limited object sector (description)	
Obstacles in 180° 5:1 gradient sector (description)	
H and chevron are rotated	
H in center of deck	
Marking	
Turbulence and wind conditions	

<b>Visual Aids</b>	<b>Description</b>
Wind sock	
Perimeter lights, green	
Insert perimeter lights, green	
Floodlights	
Status lights	
Repeater lights	
Walkway normal lights	
Walkway emergency lights	
Antenna tower	
Obstacle lights, top of legs	
Obstacle lights, crane boom	
Obstacle lights, crane house	
Emergency power supply via UPS	

<b>Helicopter Flight Information system</b>	<b>Description</b>
Non-directional beacon (NDB) (Description, ident, frequency)	
HFIS	
Aeronautical VHF/AM transmitters and receivers	
Aeronautical VHF/AM transceiver, back-up unit	
VHF/AM portable radios for HCR TCC/heliguards	
VHF/AM radio (description)	

<b>Environmental Monitoring System</b>	<b>Description</b>
Wind speed and direction, position of sensors	
Air pressure (QNH)	
Temperature and dew point (°C)	
Visibility	
Cloud height and coverage (ft)	
Significant wave height	
Motion (heave, pitch, roll) (HMS)	

<b>Fire Fighting</b>	
<b>Main System</b>	<b>Description</b>
Firefighting personnel	
DIFFS (Deck Integrated Fire Fighting System)	
Remote operated foam monitor system	
Media	
Foam type and concentration	
Foam tank capacity for 10 min. operation	
<b>Secondary system</b>	<b>Description</b>
Dual agent skids, foam, and dry powder capacity	
CO2 extinguisher with extension for engine fires	
Dry chemical (ABE) extinguishers	
Fire water hydrants	
Foam hydrants (can also be used with only water)	
Other rescue resources	

<b>Helicopter refueling</b>	
<b>System</b>	<b>Description</b>
Starting equipment	
Helifuel	
Dispensing unit, helideck	
Filter water separator	
Filter monitor	
Flow meter	
Delivery hose	
Fuel nozzle	
Bonding cable	
Fuel pumps, helifuel storage area	
Storage capacity max, 9 tanks of 2.4 m <sup>3</sup> each	
Reclaimer tank	
Fuel sample tank	

**Attachments**

Drawings (GA, marking)

Pictures (Photo)

## Information

A guide for this form is available.

## GDPR

Opplysningene lagres så lenge det er nødvendig for å ivareta formålet. Du har rett i innsyn og til å få uriktige opplysninger korrigert. Dersom du mener at opplysningene behandles i strid med reglene, kan du klage til datatilsynet.

Luftfartsilsynet er behandlingsansvarlig. Kontakt vårt personvernombud på e-post: [personvernombud@caa.no](mailto:personvernombud@caa.no).

Alle elektroniske henvendelser hører normal sett inn under arkivloven med forskrifter og vil omfattes av innsynsretten etter offentlighetsloven. Personvernopplysninger underlagt taushetsplikt vil ikke bli gjenstand for innsyn.